

PREMIUM SAE 10W-30

Multigrade Engine Oil

Description

Omicraft Premium 10W-30 is a quality premium mineral engine oil designed to provide a high level of performance and protection under most operating conditions.

Features and Benefits

Omicraft Premium 10W-30 is engineered for tougher engine specifications. It provides very good engine protection and extends engine life.

- Good wear protection
- Good engine cleanliness

Applications

Omicraft Premium 10W-30 is suitable for use in petrol engines – ideally suited for less stressful driving conditions such as highway driving and lower, consistent speed conditions.

Specifications and Approvals

Omicraft Premium 10W-30 meets or exceeds the requirements of: API SN, ILSAC GF-5.



Available in 5L, 20L and 208L
sizes from Ford Trade Club

PREMIUM SAE 15W-40

Multigrade Engine Oil

Description

Omnecraft Premium 15W-40 is a quality premium mineral engine oil designed to provide a high level of performance and protection under most operating conditions.

Features and Benefits

Omnecraft Premium 15W-40 is industry proven so you can trust you will get the performance you want from your vehicle.

- Good wear protection
- Good engine cleanliness
- Good high-temperature protection

Applications

Omnecraft Premium 15W-40 is formulated to be suitable for use in a wide range of vehicles. We particularly recommend it for the following vehicle types and conditions:

- Petrol and LPG
- Passenger cars, SUV's, light trucks and vans
- Highway cruising
- Normal operating conditions

Always consult the owner's manual to check recommended viscosity grade and specifications for your particular vehicle.

Specifications and Approvals

Omnecraft Premium 15W-40 meets or exceeds the requirements of: API SN, ACEA A3/B3.



Available in 5L, 20L and 208L
sizes from Ford Trade Club

PERFORMANCE

SAE 5W-30

Semi-synthetic Engine Oil

Description

Omicraft Performance 5W-30 is a premium semi-synthetic engine oil designed to provide an excellent level of protection and performance.

Features and Benefits

Omicraft Performance 5W-30 is industry proven so you can trust you will get the performance you want from your vehicle. It contains a low-friction semi-synthetic formulation which increases engine efficiency.

- Excellent wear protection
- Excellent engine cleanliness
- Excellent high-temperature protection

Applications

Omicraft Performance 5W-30 is formulated to give you the confidence in protection beyond that of conventional oils. We particularly recommend it for the following vehicle types and conditions:

- Petrol vehicles
- Highway cruising
- Normal to occasionally severe operating conditions
- Turbochargers
- Stop-and-go city driving
- High-performance engines

Always consult the owner's manual to check recommended viscosity grade and specifications for your particular vehicle.

Specifications and Approvals

Omicraft Performance 5W-30 meets or exceeds the requirements of: API SN, ILSAC GF-5.



Available in 5L, 20L and 208L sizes from Ford Trade Club

PERFORMANCE

SAE 10W-40

Semi-synthetic Engine Oil

Description

Omicraft Performance 10W-40 is a premium semi-synthetic engine oil designed to provide an excellent level of protection and performance.

Features and Benefits

Omicraft Performance 10W-40 is industry proven so you can trust you will get the performance you want from your vehicle.

- Excellent wear protection
- Excellent engine cleanliness
- Excellent high-temperature protection

Applications

Omicraft Performance 10W-40 is formulated to give you the confidence in protection beyond that of conventional oils. We particularly recommend it for the following vehicle types and conditions:

- Stop-and-go city driving
- Petrol and diesel
- Passenger cars, SUV's, light trucks and vans
- Highway cruising
- Normal to occasionally severe operating conditions
- Turbochargers
- High-performance engines

Always consult the owner's manual to check recommended viscosity grade and specifications for your particular vehicle.

Specifications and Approvals

Omicraft Performance 10W-40 meets or exceeds the requirements of: API SN, ACEA A3/B3.



Available in 5L, 20L and 208L sizes from Ford Trade Club

TITANIUM D1

SAE 5W-30

Full Synthetic Engine Oil

Description

Omnecraft Titanium D1 5W-30 is a full synthetic high-performance engine oil, which provides excellent high-temperature protection, even under severe operating conditions.

The oil is designed to help provide long engine life and provide outstanding protection in vehicles of all ages, outperforming our semi-synthetic blended products. It provides outstanding protection against sludge, engine rust, and corrosion under severe and low-temperature operating conditions, and provide optimum viscosity and fluid stability across a broad range of temperatures.

Omnecraft Titanium D1 5W-30 meets or exceeds ILSAC GF-5. The claim is backward compatible with earlier performance levels such as API SM, API SL, API SJ, and previous ILSAC categories.

Features and Benefits

- Helps extend engine life
- Outstanding wear protection for vehicles of all ages
- Excellent high-temperature protection to help keep engines cool
- Permits extended operation at elevated temperatures (up to 190°C) without oxidative oil thickening and oil breakdown
- Helps control oil consumption and loss
- Allows easy starting and rapid oil circulation during cold starts to protect critical engine parts
- Protection beyond our semi-synthetic blended products
- API SN Resource Conserving

Applications

Omnecraft Titanium D1 5W-30 is recommended for petrol cars and light-duty trucks requiring an API SN, API SM, API SL or API SJ. It meets ILSAC GF-5 (Starburst Certification Symbol).

Specifications and Approvals

Omnecraft Titanium D1 5W-30 meets or exceeds the requirements of: API SN, ILSAC GF-5.



Available in 5L, 20L and 208L sizes from Ford Trade Club

TITANIUM D2

SAE 5W-30

Full Synthetic Engine Oil

Description

Omicraft Titanium D2 5W-30 is a full synthetic high-performance mid-SAPS engine oil designed to help prolong the life and maintain the efficiency of the Exhaust Emission Reduction Systems in both petrol and diesel vehicles.

Features and Benefits

- Helps to maintain the efficiency of the Exhaust Emission Reduction Systems in both petrol and diesel vehicles.
- Permits extended operation at elevated temperatures without oxidative oil thickening and oil breakdown.
- Provides excellent fluidity at low temperatures allowing easy winter starting and rapid oil circulation around the engine.
- Suitable for use in both petrol and diesel engine passenger car and light commercial vehicles.

Applications

Omicraft Titanium D2 5W-30 has been developed to meet the latest specifications for engine oils required by major car manufacturers and is compatible with the latest Diesel Particulate Filters, and all petrol catalytic converters.

Omicraft Titanium D2 5W-30 offers excellent performance at both very low and very high operating temperatures, and long term engine protection from wear sludge and deposit build-up.

Specifications and Approvals

Omicraft Titanium D2 5W-30 meets or exceeds the requirements of: API SM, ACEA C3.



Available in 5L, 20L and 208L sizes from Ford Trade Club